

By ETC

www.etcconnect.com



Source Four Ellipsoidal

ACCESSORIES INCLUDED					
L	P	C	F	PH	S
		X	X		



Source Four Jr.™

ACCESSORIES INCLUDED					
L	P	C	F	PH	S
		X	X		



Source Four PARnel

ACCESSORIES INCLUDED				
L	P	C	F	S
			X	



Source Four with EDLT and without

SOURCE FOUR ELLIPSOIDAL

Source Four's innovative design has produced an efficient, high quality ellipsoidal spotlight. Features include a rugged cast aluminum housing, interchangeable lens tubes, unique single lens optical system, precision focus adjustment and lamp focus adjustment, rotating barrel, high efficiency dichroic reflector, easy re-lamping, lower temperatures, sharper image and shutter cuts. Source Four produces more light and is 42% more efficient than 1kW fixtures.

PART #	DESCRIPTION	THROW	AREA DIAMETER	FOOT CANDLES*	PRICE
75-10750	Source Four 50°	10/15	9.5/14.3	349/155	359.00
75-10736	Source Four 36°	25/30	15.8/18.9	325/14	359.00
75-10726	Source Four 26°	40/45	17.9/20.1	99/79	359.00
75-10719	Source Four 19°	45/55	14.2/17.3	142/95	359.00
75-10710	Source Four 10°	85/100	16.1/19	116/84	504.00
75-10705	Source Four 5°	105/125	12.6/15	124/88	624.00
75-10714	Source Four 14°	50/70	13/18	170/87	489.00
75-10770	Source Four 70°	10/15	14/22	191/85	489.00
75-10790	Source Four 90°	8/12	8/12	182/81	489.00
75-10815	Source Four 15°- 30° Zoom	55/30	14.5/16.1	117/122	553.00
75-10825	Source Four 25°- 50° Zoom	25/20	11.1/18.6	248/149	553.00

Recommended Lamps: HPL575, HPL750, HPL375

Prices are before discount. See back cover for details.

SOURCE FOUR JR.

The Source Four Jr. is an economy version of the state of the art Source Four ellipsoidal. It has many of the features of its big brother at a price that will fit the tightest budget.

PART #	DESCRIPTION	FIELD ANGLE	THROW	AREA DIAMETER	FOOT CANDLES *	PRICE
75-10650	Source Four Jr. 50°		10/15	9.3/14	220/98	235.00
75-10636	Source Four Jr. 36°		15/20	10/13.4	169/95	235.00
75-10626	Source Four Jr. 26°		30/35	13.8/16.1	102/75	235.00
75-10625	Source Four Jr. 25°-50° Zoom	25°- 50°	25/15	11/13.4	127/112	294.00

Recommended Lamp: HPL575, HPL375

Don't forget to take your discount. See back cover for details.

SOURCE FOUR PAR & PARNEL

The Source Four PAR is rated up to 750W with an EA (Enhanced Aluminum) reflector utilizing super-efficient HPL lamp. It comes with four interchangeable lenses (VNSP, NSP, MFL, WFL). An optional extra-wide flood lens for short-throw applications is available.

The PARNel features a patented wave-lens design and easy focusing knob, letting you quickly access a range of 25°- 45° – a smooth, soft, symmetrical field that you can spot or flood as needed. It is excellent for short range throws.

Both fixtures utilize the HPL 575 watt lamp that is comparable to 1000W lamp.

PART #	DESCRIPTION	FIELD ANGLE	THROW	AREA DIAMETER	FOOT CANDLES *	PRICE
75-10500	ETC Source Four PAR-EA	VNS/WF	35/20	10.8/11.7x17.4	269/158	179.00
75-10490	ETC Source Four PARNel	25°- 43°	30/15	12.3/11.7	193/192	247.00
75-10519	ETC XWFL Lens for S4 PAR	61°	15	16.5	119	18.47

Recommended Lamp: HPL575, HPL375

Prices are before discount. See back cover for details.

SOURCE FOUR ENHANCED DEFINITION LENS TUBE

The Source Four EDLT (Enhanced Definition Lens Tube) option creates precise optics for projecting images, gobos, and logos while increasing light output up to 10% due to the contrast.

PART #	DESCRIPTION	THROW	AREA DIAMETER	FOOT CANDLES*	PRICE
75-10546-ED	ETC S4 19° EDLT	40/55	13/18	163/86	218.00
75-10547-ED	ETC S4 26° EDLT	30/45	14/20	203/90	218.00
75-10548-ED	ETC S4 36° EDLT	25/35	15/21	158/80	218.00
75-10550-ED	ETC S4 50° EDLT	15/21	14/20	196/91	218.00

* in all cases the maximum wattage lamp was used for photometric testing


INCLUDED ACCESSORIES KEY: L = Lamp P = Plug C = Clamp F = Color Frame PH = Pattern Holder S = Safety Cable
Accessory codes indicate accessories that are available for the fixture; X indicates that the accessory is included.

Lighting

Fixture Throw Chart



Prices are before discount.
See back cover for details.



The above chart shows photometric/throw distance data for the stage lighting fixtures shown in our catalog. The chart indicates the usable throw distance for a particular lighting fixture with a minimum field diameter of 6', a maximum field diameter of 15' and a minimum illumination level of 100 foot candles (which ever is the lesser throw distance). The information is taken from the manufacturer's specification literature. All fixtures are lamped to the maximum wattage lamp for that fixture. Please contact Stage Technology for help in selecting a stage lighting fixture for your facility.

By Strand

www.strandlight.com



SL Series

ACCESSORIES INCLUDED					
L	P	C	F	PH	S
		X	X		



6" Fresnel

ACCESSORIES INCLUDED					
L	P	C	F	PH	S
		X	X		

By Selecon

www.seleconlight.com



Pacific Range

ACCESSORIES INCLUDED					
L	P	C	F	PH	S
		X	X		X



Rama 6" Fresnel

ACCESSORIES INCLUDED					
L	P	C	F	PH	S
			X		

COOLBEAM SL SERIEQ & Bggam l rg l scb'

Excellent light output, superb distribution, and the smoothest soft-edge while maintaining beam size. Sharp gobo, edge and shutter focus. Very compact and narrow with the smallest dimensions in their category. Easy to use and maintain, with many features such as Cool-Beam operation, 360° body rotation, large rear handle, interchangeable tubes and a gate that will fit 2 pattern holders.

PART #	DESCRIPTION	DIAMETER@40'	FOOT CANDLES	PRICE
76-32050	SL Series 50°	37.3'	27	Discontinued
76-32036	SL Series 36°	26'	54	Discontinued
76-32026	SL Series 26°	18.5'	121	Discontinued
76-32019	SL Series 19°	13.4'	141	Discontinued
76-32010	SL Series 10°	14.5' (at 85')	111	Discontinued
76-32005	SL Series 5°	9.6' (at 110')	328	Discontinued
76-32002	SL Series 23-50°	16.3'-37.3'	94/27	Discontinued
76-32001	SL Series 15-32°	11.8'-25.8'	177/62	Discontinued

Recommended Lamps: 575W GLC or GLA

Note: Foot candle ratings are with 575W GLC lamp

6" AND 8" FRESNEL

Compact Fresnel spotlights with a smooth, soft edged beam. Features include a lightweight extruded aluminum body, spot/flood focus controlled by an insulated sweep arm, 36" teflon leads, all handles thermally insulated. 6" has a medium prefocus lamp socket, 8" has a mogul prefocus socket.

PART #	DESCRIPTION	PRICE
76-33380	6" Fresnel 12081	372.00
76-33480	8" Fresnel 12181	540.00

Recommended Lamps: 6" Fresnel 500W BTL, BTM, 750W BTN, BTP, 1000W BTR

Recommended Lamps: 8" Fresnel 1000W BVT, BVV, 1500W CWZ, 2000W BVW

SELECON PACIFIC ELLIPSOIDALS

The Pacific features Selecon's unique base-down ellipsoidal design in a universal lamp house to which the wide range of optical systems and light sources can be fitted. The ACTIVE HEAT MANAGEMENT SYSTEM removes more of the heat from the light beam to deliver a cool beam of light on stage, while managing the heat away from the operational controls and critical components such as the lamp, wiring and cabling.

PART #	DESCRIPTION	THROW	DIAMETER	FOOT CANDLES	PRICE
75-15090	90° Pacific Ellipsoidal	18PACTUBE90	14 (at 7')	159	568.00
75-15050	50° Pacific Ellipsoidal	18PACL50	12 (at 13')	130	494.00
75-15040	40° Pacific Ellipsoidal	18PACL40	28.8	42	494.00
75-15030	30° Pacific Ellipsoidal	18PACL30	21.2	86	494.00
75-15020	20° Pacific Ellipsoidal	18PACL20	14	91	494.00

SELECON FRESNELS

The Selecon Fresnel lens produces a very even light that is soft at the edges and tends to produce a soft shadow. Because the edge of the light is soft, it is not absolutely precise and will blend easily with the edges of other Fresnels to give smooth stage coverage.

PART #	DESCRIPTION	PRICE
75-15301	Acclaim 6°-60° Fresnel (4.25" lens)	180.00
75-15305	Rama 6" Fresnel with Fast Focus Technology	351.00

Lamps (Acclaim): Ushio JCS120V-575WC, 650W FRE

Lamps (Rama): 750W BTN, 1000W BTR

INCLUDED ACCESSORIES KEY: L = Lamp P = Plug C = Clamp F = Color Frame PH = Pattern Holder S = Safety Cable
Accessory codes indicate accessories that are available for the fixture; X indicates that the accessory is included.



By Altman

www.altmanltg.com



Shakespeare™

ACCESSORIES INCLUDED					
L	P	C	F	PH	S
			X		X

SHAKESPEARE ELLIPSOIDAL SERIES

The 600 Series Ellipsoidals give superior performance and low operation costs. Using the new compact filament HX600 lamp, the fixture is designed to meet or exceed the light output and quality of conventional 1000W fixtures while producing a cooler focused beam that will extend the life of shutters, patterns and filters. Features include rotating shutters, drop in iris slot, interchangeable lens barrels on 2° through 500° fixtures, self-aligning focus cap, dichroic metal reflector and optional dichroic glass reflector.

PART #	DESCRIPTION	DIAMETER @ 40'	FOOT CANDLES	PRICE
75-11050	Shakespeare 50°	39'	32	411.00
75-11040	Shakespeare 40°	27'	68	411.00
75-11030	Shakespeare 30°	20'	105	411.00
75-11020	Shakespeare 20°	14'	117	411.00
75-11010	Shakespeare 10°	15' (at 85')	111 (at 85')	577.00
75-11005	Shakespeare 5°	13' (at 110')	81 (at 110')	688.00
75-11000	Shakespeare 15-35° Zoom	11'-24'	220/74	646.00
75-11001	Shakespeare 30-55° Zoom	20'-40'	104/34	646.00

Recommended Lamps: FLK HX600 575W, FLK/LL HX601 575W, GLC 575W, GLA 575W

Note: Foot Candle ratings are with FLK HX600 575W Lamps



360Q

ACCESSORIES INCLUDED					
L	P	C	F	PH	S
			X		X

360Q 6" ELLIPSOIDAL SERIES

The legendary 360Q is a compact, rugged ellipsoidal which produces a high intensity sharp or soft-edged beam. This lightweight fixture is outfitted with an efficient specially faceted reflector designed for the new generation of 575 watt tungsten halogen lamps.

PART #	DESCRIPTION	DIAMETER @ 40'	FOOT CANDLES	PRICE
76-20305	4.5 x 6.5 55° Beam	41'	33	263.00
76-20310	6 x 9 37° Beam	27'	55	263.00
76-20313	6 x 12 26° Beam	19'	103	263.00
76-20316	6 x 16 19° Beam	14'	145	263.00
76-20323	6 x 22 11° Beam	8'	149	263.00

Recommended Lamps: FLK HX600 575W, FLK/LL HX601 575W, GLC 575W, GLA 575W, HX755 750W

Note: Foot Candle ratings are with GLC 575W Lamps



65Q

ACCESSORIES INCLUDED					
L	P	C	F	S	
			X		X

FRESNELS

A lightweight, short to long-throw all-purpose lighting fixture, the Fresnel produces a soft-edged beam varying in diameter. Altman Fresnels are designed for operation with long-life, high-intensity tungsten-halogen lamps.

PART #	DESCRIPTION	PRICE
76-20100	3" Fresnel	122.00
76-20066	6" Fresnel	138.00
76-20076	8" Fresnel	305.00

Recommended Lamps: 3" Fresnel: ESR 100W, 6" Fresnel: BTR 500W, BTN 750W, 8" Fresnel: BVT 1000W, BVV 1000W

By L&E

www.le-us.com



Broad Cyc

L&E CYCLORAMA LIGHTING

PART #	DESCRIPTION	PRICE
76-10520	L & E Broad Cyc 1 Section	246.00
76-10521	L & E Broad Cyc 2 Section	488.00
76-10522	L & E Broad Cyc 3 Section	720.00
76-10523	L & E Broad Cyc 4 Section	972.00

Please visit our website for an expanded list of strip and cyc lights.

INCLUDED ACCESSORIES KEY: L = Lamp P = Plug C = Clamp F = Color Frame PH = Pattern Holder S = Safety Cable
Accessory codes indicate accessories that are available for the fixture; X indicates that the accessory is included.





PAR 64

PAR FIXTURES

- Stage Technology offers a full line of PAR fixtures by various manufacturers.
- All PAR fixtures come with a color frame. Plugs, c-clamps, lamps, and safety cables must be purchased separately.
- PAR fixtures are available in black or chrome finishes.

ALTMAN

PART #	DESCRIPTION	PRICE
76-20538	Altman PAR 38	89.54
76-20546	Altman PAR 46	90.46
76-20556	Altman PAR 56	96.92
76-20565	Altman PAR 64	98.77

L & E

PART#	DESCRIPTION	PRICE
76-17906	L&E PAR 16 Fixture	69.23
76-17905	L&E PAR 38 Fixture	73.85
76-17902	L&E PAR 56 Fixture	80.00
76-17901	L&E PAR 64 Fixture	83.08



PAR 56 Economy

ECONOMY PAR CANS

Economy Par fixtures include a color frame and 3' cord with molded Edison connector.

PART #	DESCRIPTION	PRICE
75-40010	PAR 16 Black UL Approved E17 Socket	16.92
76-70238	PAR 38 Black UL Approved	18.90
76-20559	PAR 46 Black Non-UL Approved	40.00
76-20557	PAR 56 Black UL Approved	41.00
76-20567	PAR 64 Black UL Approved	43.00

ALTMAN CYC LIGHTS



6-Section Ground Cyc

PART #	DESCRIPTION	PRICE
76-22111	Altman Ground Cyc 1 Section GC-1	300.00
76-22112	Altman Ground Cyc 2 Section GC-2	443.00
76-22113	Altman Ground Cyc 3 Section GC-3	669.00
76-22101	Altman Sky Cyc 1 Section SC-1	378.00
76-22102	Altman Sky Cyc 2 Section SC-2H (Horizontal)	669.00
76-22103	Altman Sky Cyc 3 Section SC-3	937.00

Altman Ground Cycles are also available in 4, 6, 8, 9, and 12 sections. See our website for a complete listing!

L & E CYC STRIPS



Sky Cyc

PART #	DESCRIPTION	PRICE
76-10541	L&E ECHO Cyc Strip, 1 Light Unit	249.00
76-10542	L&E ECHO Cyc Strip, 2 Light Unit	372.00
76-10543	L&E ECHO Cyc Strip, 3 Light Unit	569.00
76-10544	L&E ECHO Cyc Strip, 4 Light Unit	743.00

Recommended Lamps: EHM 300W, FCL 500W, EJG 750W, FCM 1000W

L&E R-40 BORDERLIGHTS

Can be wired for 3 or 4 circuits, medium screw base sockets, 36" lead wire per circuit. Floor trunnions included.



R-40 Borderlight

PART #	DESCRIPTION	PRICE
76-10505	L & E R-40 Borderlight 6', 3 circuit	394.00
76-10506	L & E R-40 Borderlight 6', 4 circuit	394.00
76-10507	L & E R-40 Borderlight 7.5', 3 circuit	505.00
76-10508	L & E R-40 Borderlight 8', 4 circuit	528.00

Recommended Lamps: BR40/FL 120W, BR40/FL 300W

ALTMAN MR-16 BORDERLIGHTS

The Zip Strip is a UL listed multi-lamp striplight using a wide range of 12 volt MR-16 tungsten halogen lamps.



Zip Strip

PART #	DESCRIPTION	PRICE
76-22512	Altman Zip Strip 2' 2" 1 Circuit	443.00
76-22524	Altman Zip Strip 4' 3" 2 Circuit	849.00
76-22536	Altman Zip Strip 6' 4" 3 Circuit	1,122.00
76-22548	Altman Zip Strip 8' 5" 4 Circuit	1,500.00

Recommended Lamps: EYF 12° 75W, EYJ 24° 75W, EYC 39° 75W



By SGM

www.sgm.it



Synthesis

SGM's **SYNTHESIS** uses 700W that unleashes power comparable to a 1200W light source. Wireless DMX Interface fitted as standard and protection against incorrect power supplies of up to 380 volts. Automatic hot re-strike, color mixing, an unbeatably precise linear dimmer, animation wheel, automatic electronic pan/tilt unlocking and silent operation. The **Giotto** series offer the most advanced features in their class. Silent operation, a very important requisite for theatre and television use: the cooling and head movement have an extremely low noise level. Extremely user-friendly maintenance, thanks to easy access to internal components and lamp. The **IDEA 250** series is a moving head fixture designed to ensure high performance with an exceptional quality:price ratio. The fixtures include lamp, clamp, and power-con connector (cable not included).

PART #	DESCRIPTION	PRICE
85-40001	Synthesis 700W Spot/Wash	POA
85-40012	Giotto Spot 400W	POA
85-40010	IDEA Spot 250W	POA

By High End Systems

www.highend.com



Studio Command

High End Systems' moving mirror and yoke fixtures have been the industry standard for nearly two decades. The **Studio Spot 575** has the ideal hard edge beam that projects clean, crisp images that cut through any wash. **Studio Command H CMY** moving head color changer, with its tungsten source, provides a 3200 K color temperature option and works with standard theatre dimming racks.

PART #	DESCRIPTION	PRICE
85-20053	Studio Spot CMY Auto w/ Lamp	POA
85-20064	Studio Command H	POA

By Martin

www.martinpro.com



SmartMAC

The new **smartMAC** from Martin is an extremely bright, fanless 150 W profile luminaire offering a number of unique performance and economic benefits, not least the ability to reduce operating costs. Appropriately silent for noise sensitive environments, smartMAC will liven up any space while saving money on power bills and service and maintenance checks.

The **MAC 250 Entour** is a brilliant, feature rich profile with two gobo wheels, a color wheel, dimmer, shutter, prism and focus. The **MAC 250 Wash** incorporated new technologies in silent but fast movement in a moving head fixture.

Based on the reliable MAC 700 platform, the **MAC 575 Krypton** combines super efficient optics for brighter output with outstanding gobos and colors, all wrapped in the MAC's market-proven, modular design. It is suited for venues or any space that demands reliable, durable and no-nonsense performance.

PART #	DESCRIPTION	PRICE
85-30060	Martin smartMAC #90231000	2,326.00*
85-30051	Martin MAC 250 Entour #90225710	3,111.00*
85-30050	Martin MAC 250 Wash #990225810	2,920.00*
85-30075	Martin MAC 575 Krypton #90216000 (220-240V AC only)	7,249.00*



Mac 250 Entour

The **Source Four Revolution** is an automated ellipsoidal. Revolution uses a QXL™ incandescent lamp and the same proven optics of the Source Four Zoom. It is shipped with a 12-color ETC standard gel string, two blank modules with integral M-sized gobo holder, user manual, safety cable, one tether eyebolt kit, and a 3 foot cable (PowerCon™ to bare-end pigtail). There are 4 optional modules: 1.) Iris Module- 18-leaf construction, 2.) Static Wheel Module- three positions plus open. Uses glass or steel M-size gobos or filters, 3.) Rotating Wheel Module- three positions plus open, variable speed rotation in both directions, high-resolution indexing. Uses glass or steel M-size gobos or filters, 4.) Shutter Module- four shutters in four planes with 90° range of movement. ETC Source Four® Revolution moving light will be shipped with a 24-frame-capacity "Wybron Inside" color scroller which is based on Wybron's industry-standard Coloram® technology.

PART #	DESCRIPTION	PRICE
85-90180	S4 Revolution Basic Unit	4,195.00*
85-90182	S4 Revolution Iris Module	530.00*
85-90186	S4 Revolution Rotating Head	796.00*
85-90188	S4 Revolution Shuttle Module	1,563.00*
85-90184	S4 Revolution Static Wheel Module	530.00*

By ETC

www.etcconnect.com



S4 Revolution

*Price to be used for budgeting only. Please call 1-800-889-4081 for competitive pricing.

By SGM

www.sgm.it



Palco

SGM's PALCO is a LED color changer for indoor and outdoor use (insulation degree: IP65) that features use of a series of high-power Luxeon LEDs as a light source with RGB color mixing. There are four optional lenses that enable the PALCO to be used at various distances from the structure being illuminated. PALCO projects a very powerful light beam: 5,600 lux at 2 meters (10° x 22° elliptical lens). The PALCO uses 6 DMX channels with on board addressing and power supply.

PART #	DESCRIPTION	PRICE
85-40008	SGM PALCO LED Color Changer and one Lens	POA
85-40008-08	SGM PALCO 8° Lens	POA
85-40008-10	SGM PALCO Elliptical 10° x 22° Lens	POA
85-40008-25	SGM PALCO 25° Lens	POA
85-40008-40	SGM PALCO 40° Lens	POA

By Ocean Optics

www.seachangeronline.com



SeaChanger

Source4 not included

The SeaChanger Color Engine is a CYMG color changer is fully compatible with ETC (Electronic Theatre Controls, Inc.) Source Four® Ellipsoids, fitting between the lamp and lens—without the need for tools. The unit is self-contained with an internal power supply, 4-channel DMX control and RDM capability. Aside from its remarkably robust filters, what distinguishes SeaChanger from other dichroic color changers is its Extreme Green color filter, which is fully controllable via DMX and increases its color gamut to include those deep blues, reds and greens never thought possible by dichroic color mixing. Also it is very silent.

PART #	DESCRIPTION	PRICE
81-41023	SeaChanger High-Temp. Power Cord #SEA-HTPC	57.36
85-41000	SeaChanger with xG Filter Wheel, 4-ch. DMX #SEA-XG	1,995.00
85-41003	SeaChanger with Dimmer Wheel, 4 ch. DMX #SEA-DM	1,995.00
85-41006	SeaChanger Wash with xG Filter, 4 ch. DMX #SEA-WASH	2,143.00

By Elektralite

www.myelektralite.com



PaintCan

Elektralite's PaintCan is the ideal DMX color changing light fixture for theaters, churches, and other applications where there's an opportunity to "paint" with light. It has a color wheel (Deep Red, Blue, Green) and CMY color mixing. It utilizes a GLA or GLC lamp. The Electronic Zoom is from 20° to 40°. When noise is an issue, you can pre-set the fan to be on Auto, High or Low. No need for external dimmers, it has an electronic dimmer built in.

PART #	DESCRIPTION	PRICE
85-10001	Elektralite PaintCan, Black (incl. safety cable, 50' DMX cable, and lamp)	1,195.00
85-10001-W	Elektralite PaintCan, White (incl. safety cable, 50' DMX cable, and lamp)	1,195.00
78-10400	Elektralite PaintCan Barndoor, Black	52.75
78-10400-W	Elektralite PaintCan Barndoor, White	52.75

By Wybron

www.wybron.com



Nexera Wash

Nexera is a family of luminaires which feature dichroic CMY color mixing. They use glass color media to provide a wide array of color that can be gracefully faded through the entire spectrum. Quiet servo movement, combined with convection cooling, mean these fixtures can be used on any stage with nary a thought for noise issues. Nexera is bright, efficient, and easy to use. Combining Wybron's legendary reliability with low cost, Nexeras are especially suited for churches and small theatres. Dimmer and lamps not included. Requires PS Series power supply.

PART #	DESCRIPTION	PRICE
85-07230	Wybron Nexera Wash Fixture with CMY Color Mixing #2560	1,618.00*
85-07232	Wybron Nexera Profile Fixture with CMY Color Mixing #2570	1,697.00*
85-07215	Wybron 150W Power Supply #20150 (8 Nexeras)	970.00*

*Price to be used for budgeting only. Please call 1-800-889-4081 for competitive pricing.

To place your order or for technical help call **1-800-889-4081**.