

Color Scrollers & UV/ Blacklight



Prices are before discount.
See back cover for details.



By Wybron

www.wybron.com



Forerunner

This family of two sized scrolling gel changers fits nearly every common theatrical lighting fixture. Designed to be reliable and inexpensive, the Forerunner is perfect for simple shows where the full range of features or fixtures is not needed. Produced for over seven years, Forerunners have proven the reliability that Wybron is known for with tens of thousands of units. Other available color changers are the Coloram II (32 Color Frames) and the CXI (CMY 432 distinct Colors). Both the Coloram and CXI can be modified for large format configurations (ex. Eight lights and Multipars).

PART #	DESCRIPTION	PRICE
85-04540	Wybron 4" Forerunner (includes Mounting Plate)	590.00
85-04549	Wybron 4" 16 Frame Gel String	POA
85-07140	Wybron 7" Forerunner (Will also fit Source 4)	590.00
85-07149	Wybron 7" 16 Frame Gel String	POA
85-07215	Wybron Forerunner Power Supply (up to 16 units)	970.00
85-04205	Wybron 5' Control Cable (4-pin)	33.95
85-04225	Wybron 25' Control Cable (4-pin)	47.80

By Chroma Q

www.actlighting.com



Chroma-Q Plus

The new Chroma-Q™ Plus color changer builds on the great success of the original color changer and adds new advanced features like Gel Saver Mode. The utilization of digital circuitry and high technology composite materials produces an affordable color changer which is capable of scrolling gel strings of various lengths from 2 to 16 colors. The Chroma-Q is designed to give years of trouble free use, providing that it is regularly adjusted and used in accordance with the instructions.

PART #	DESCRIPTION	PRICE
85-01100	Chroma-Q Plus Color Changer	422.00
85-01160	Chroma-Q "Theatrical" Gel String, 16 frame, TH Plus (Gel Saver)	60.50
85-01161	Chroma-Q "Rock & Roll" Gel String, 16 frame TH Plus (Gel Saver)	60.50
85-01162	Chroma-Q "Custom Color" Gel String, 16 frame #GSRC	63.20
85-01150	Chroma-Q 8 unit PSU/Splitterbox	593.00
85-01151	Chroma-Q Hanging Kit for 8 unit PSU #PS08H	16.62
85-01171	Chroma-Q 5' Control Cable	33.00
85-01175	Chroma-Q 25' Control Cable	47.00

By Wildfire

www.wildfirefx.com



UV 400W Spot Flood

The Wildfire Long Throw 400 Spot/Flood has been a long time favorite for film and television production. The easy slide focus mechanism adjusts this fixture quickly from an 8° spot to a 59° flood. The genuine Wildfire black glass soft focus fresnel lens offers maximum coverage and safety.

For premier performance and value in a compact size, the Wildfire 250 series has three highly advanced fixtures that provide just the right format for a wide variety of UV effect applications. The extraordinary balance of power, throw, energy-efficiency and value define a new standard of excellence in UV lighting fixtures. DMX control, white color and outdoor kit option are available POA.

PART #	DESCRIPTION	PRICE
81-30242	Wildfire 400W 70' to 130' Throw Series Spot Flood	POA
81-30220	Wildfire 250W 70' Throw Series 90° Flood	POA
81-30221	Wildfire 250W 110' Throw Series 50° Wide Spot	POA
81-30220	Wildfire 250W 130' Throw Series 20° Spot	POA

By Altman

www.altmanltg.com



UV Ellipsoidal

The Altman UV-703 is a compact, high output fresnel blacklight. It is designed to provide high intensity illumination of fluorescent materials at distances up to 150 feet. The UV-705 is a compact, high output blacklight floodlight. It is designed to provide a wash of high intensity illumination of fluorescent materials at distances up to 40 feet. Altman also has a UV incorporated into a Shakespeare Zoom fixture giving you control over your UV area. Great for special effects.

PART #	DESCRIPTION	PRICE
81-31482	UV-703 400W Fresnel Blacklight w/ lamp, ballast, 25' cable	3,369.00
81-31486	UV-705 400W Blacklight Floodlight	2,303.00
81-31490	UV-250 250W Blacklight	1,315.00
81-31475	S6-1535Z-UV Black 200 Watt UV Ellipsoidal 15-35 Zoom	POA
81-31477	S6-3055Z-UV Black 200 Watt UV Ellipsoidal 30-55 Zoom	POA

By Cast Software
www.cast-soft.com

wysiwyg



WYSIWYG

WYSIWYG is a complete lighting design software suite that offers Lighting Professionals the tools they need to simplify the design process. WYSIWYG comes in three versions in order to allow Designers, Console Operators, & Electricians to choose the set of tools that meet their unique needs. WYSIWYG Report provides 2D planning capability and takes care of all necessary paperwork. WYSIWYG Design expands on WYSIWYG Report by allowing Lighting Professionals to explore their designs in 3D with full photorealistic renderings. WYSIWYG Perform takes design to the next level by enabling the program to interface with a compatible DMX console. This lets the user pre-cue entire shows in real time, and then simulate the exact effect of the consoles output.

A DMX Interface device such as a WYG-it 2 may be required in order to connect your DMX Lighting console to WYSIWYG Perform.

Call us to help you determine your exact needs.

PART #	DESCRIPTION	PRICE
85-90101	WYSIWYG Report*	671.00
85-90103	WYSIWYG Design*	2,399.00
85-90104	WYSIWYG Perform Unlimited Channels*	4,799.00
85-90171	WYG-it 2 DMX to USB Interface	1,275.00

WYSIWYG single user Educational Editions contain all the features of the standard WYSIWYG Report and Design products. They include a limited license for educational use only and are available to students and faculty. WYSIWYG Report – Educational Edition can be upgraded to WYSIWYG Design – Educational Edition. Both Educational Editions can be upgraded to full WYSIWYG functionality 6 months after registration.

PART #	DESCRIPTION	PRICE
85-90102	WYSIWYG Report Educational Edition*	239.00
85-90175	WYSIWYG Design Educational Edition*	1,066.00

** No further discounts apply to Educational Editions.*

WYSIWYG Learn allows multiple stations of WYSIWYG to be networked to a single hardware key for use in an educational computer lab. WYSIWYG Learn comes in groups of 10 seats of WYSIWYG Design and a 20 hour training / installation session is included in the price. As an Authorized WYSIWYG Trainer, Stage Technology is able to offer the WYSIWYG Learn Package at a reduced rate, please call us so we can quote you a price for your WYSIWYG Learn Lab.

PART #	DESCRIPTION	PRICE
85-90101	WYSIWYG Learn 10 Seat License*	POA

**All products ship with USB Dongles, Parallel dongles are also available.*

vivien



VIVIEN

A revolutionary software application for event design and planning. Vivien is an event planning assistant that gives you the ability to take an event from concept to full 3 dimensional visualization, while at the same time, Vivien organizes the inventory for you and creates all of the paperwork needed in order to make your virtual event a reality. In the end, Vivien can produce photo realistic renderings of the event to show would-be clients exactly what their event will look like.

Built on the success of WYSIWYG, the industry standard theatrical lighting design software, Vivien is everything you could ever want in an event design tool to ensure successful and cost effective events. She's the most comprehensive event design software available for meeting and event professionals. Simple and intuitive, Vivien is the only all-in-one package needed to design memorable events, on time and within budget. She expedites every process and is the closest thing to being on-site. She will give you a vivid representation of your event revealed with accuracy and realism.

PART #	DESCRIPTION	PRICE
85-90300	Vivien Virtual Event Design Software	1,895.00

No further discounts apply for Vivien.

** Ships with USB Dongle, Parallel dongle is also available.*

Stage Technology can provide user training for WYSIWYG and Vivien. Call us for details.



By ROSCO/APOLLO

www.rosco.com
www.internetapollo.com



ImagePro

IMAGEPRO GOBO SLIDE PROJECTOR

Rosco's ImagePro Gobo Slide Projector offers users an easy, inexpensive solution for projecting photographic-quality images in a theatrical setting. It fits into the iris slot of any ETC Source Four, Altman Shakespeare, Strand SL or Selecon Pacific light fixture. Fitted with an iPro Slide, the ImagePro delivers bright, visible full color images that will last between 15 to 50 hours. Rosco's Optional Hybrid Two-Fer allows you to connect your I-Pro and light fixture into the same dimmer. The Two-fer is configured with a male stage-pin connector for the dimmer and both a female stage pin connector for the light and a female parallel blade connector for the I-Pro. *Due to the inexpensive processing for Custom Image Pro Slides, some dark colors, particularly dark blues and purples, will not reach a full saturation.*

PART #	DESCRIPTION	PRICE
85-30520	ImagePro Gobo Slide Projector	290.00
85-30000	ImagePro Slide Library Image	36.97
85-30530	Custom ImagePro Slide	36.97
85-30535	ImagePro One-Time Slide Kit	26.35
85-30525	Rosco Hybrid Two-Fer	58.04



I-Cue

I-CUE INTELLIGENT MIRROR

The Rosco I-Cue Intelligent Mirror is an ellipsoidal spotlight attachment that allows you to use your spotlight with much greater flexibility. The unit slides into the color slot of the ETC Source Four, Altman Shakespeare, Strand SL or Selecon Pacific. The major function of the unit is to reposition the beam of light so a single spotlight in a fixed position can be used for multiple specials in various locations. It requires a power supply by Rosco or can be run from power supplies by Wybron and others. Please call Stage Technology for more information about power supply compatibility.

PART #	DESCRIPTION	PRICE
85-30500	Rosco I-Cue Intelligent Mirror (17 watts power needed)	631.00
85-30505	Rosco Power Supply PSU-50 (50 watts. Powers two I-Cues)	128.00
85-30512	Rosco Power Supply PSU-200 (200 watts. Powers 11 I-Cues)	775.00



Rosco Vortex 360

ROSCO VORTEX 360 DUAL GOBO ROTATOR

Rosco's lowest priced gobo rotator offers the accuracy and reliability of its higher priced models, combined with the ease and convenience of plug and play operation without additional power supply or control requirements. It is ideal for conventional theatrical use as well as architectural and retail applications. It plugs directly into any wall outlet or plugs into a dimmer to adjust the speed. An adapter may be required if your dimmer system does not use U-Ground (Edison) receptacles. The Vortex 360 Dual Gobo Rotator does not require an additional power supply.

PART #	DESCRIPTION	PRICE
81-43300	Rosco Vortex 360 Dual Gobo Rotator	435.00



Apollo Smart Move

APOLLO SMART MOVE

Apollo's Smart Move gobo rotator has simple multi-direction rotation as well as an array of individual gobo movements. No control console is needed to operate the Smart Move. A rotary switch and speed control dial allows the user to set the effect and speed. A 24V power supply is included with the unit.

APOLLO SMART MOVE DMX ROTATOR

The Smart Move[®] DMX rotator provides all the features of the Smart Move[®] plus DMX control and indexing.

APOLLO SMART MOVE VERTICAL

Apollo's Smart Move[®] Vertical is the latest addition to the Smart Move[®] family of gobo movement products. The Vertical features motion, time, and speed presets that create vertical movement of patterns or text. Ideal for subtle movement of corporate logos and other retail, architectural and theatrical applications.

APOLLO SMART MOVE VERTICAL DMX

The Smart Move Vertical DMX provides all the features of the Smart Move Vertical plus DMX control and indexing.



Apollo Smart Move Vertical DMX

PART #	DESCRIPTION	PRICE
81-45000	Apollo Smart Move Gobo Rotator	428.00
81-45001	Apollo Smart Move DMX Rotator	425.00
81-45002	Apollo Smart Move Vertical	425.00
81-45003	Apollo Smart Move Vertical DMX	525.00


By STAGE TECHNOLOGY
www.StageTechnology.com



Stage Technology's heavy duty trees utilize a 1 1/2" I.D. pipe and telescoping sleeve with double locks for height adjustability. Vertical pipe is mounted on a 51 lb. base for stability.

PART #	DESCRIPTION	PRICE
78-33950	Light Tree 7'-12' Kit ST7-10 Complete	272.00
78-33960	Light Tree 10'-18' Kit ST10-18 Complete	302.00
78-33990	Extra Crossbar Pipe 36" CBP-36 for Stage Technology Tree	16.00
80-10006	Extra Cheeseborough 90° clamp for crossbar	15.39
78-34080	Extra 24" Round x 51 lb. Base B-51 with Threaded Socket	132.00

By On-Stage Stands
www.onstagesstands.com



Techni-Lux offers a variety of light trees, all offering top cross bars for hanging light fixtures. Lightweight and portable, the light trees are ideal for portable theatre applications.

PART #	DESCRIPTION	PRICE
78-31500	On Stage Stands offers a lighting tree with the easiest method of raising a lighting system 80" off the floor. The easy-to-use power crank-up height adjustment system operates with any standard electric or cordless drill. The 48" top T-bar holds up to 4 par cans, while the two 24" side mount bars each hold 2 par cans, for a total of 8 par cans. Weight Capacity 80 lbs. LS7805B	149.00
78-31502	Light Tree supports up to 8 par cans/tree. Height adjustable from 60"-120". Base Spread 48". Weight capacity 110 lbs. LS7720BLT	82.43
78-31504	Light Tree has 2 Quick Release bars to hold up to 8 par cans/tree. 3-Section vertical shaft adjusts up to 10 1/2'. Base spread 48". Weight capacity 140 lbs. Tensions locking knobs and locking pin secure positions in place. LS7740-QR	108.00

By Altman
www.altmantg.com



Luminator



1000Q



Comet

LUMINATOR™

- Top operated color boomerang, iris and dimmer controls
 - Six frame color boomerang
 - Front end accessory holder
 - Dual adjustable lenses
 - Positive locking pan and tilt adjustment
 - Designed for Throws 20' to 100'
- Spot - 7.7° 59fc 1.8' Diameter at 80'
Flood - 9.3° 25fc 13' Diameter at 80'
Recommended Lamps: 360W FLE, 360W ENX

COMET™

- Top operated color boomerang, iris and dimmer controls
 - Six frame color boomerang
 - Dowser (Mechanical dimmer)
 - Dual AC blowers for cooler operation and extended lamp life
 - Designed for Throws 40' to 120'
- Spot - 7.2° 125fc 9.9' Diameter at 80'
Flood - 12.2° 52fc 17.1' Diameter at 80'
Recommended Lamps: 360W FLE, 360W ENX

1000Q™

- Rear handles for iris, shutter and focus
 - Dual lens optical system
 - Six frame color boomerang
 - Dowser (Mechanical dimmer)
 - Dual AC blowers for cooler operation and extended lamp life
 - Full length top door for easy lamp replacement
 - Designed for Throws 20' to 100'
- Spot - 10° 64fc 14' Diameter at 80'
Flood - 14° 34fc 20' Diameter at 80'
Recommended Lamps: 1000W FEL

PART #	DESCRIPTION	PRICE
76-23105	Followspot Luminator	1,182.00
76-23130	Followspot 1000Q	1,523.00
76-23140	Followspot Comet	1,523.00

Don't forget to take your discount!

To place your order or for technical help call **1-800-889-4081**.

Follow Spots Lighting

Prices are before discount. See back cover for details.

By Lycian
www.lycian.com



1212



1206

1238 SUPER CLUBSPOT™

- 6 frame color boomerang
 - Adjustable pan & tilt brakes
 - Horizontal trim shutters
 - Iris
 - Telescoping stand w/locking casters
- Recommended lamp: FLE 360W
Designed for throws from 40' to 100'

1206 MIDGET™

- Spread lens system
 - Five frame color boom
 - Nichrome steel iris, dowser, shutters
 - Compact, lightweight
 - Castered stand
 - Gobo slot
- Recommended lamp: FEL 1000W
Designed for throws up to 90'

1209 MIDGET™ HP

- Spread lens system
 - Self-cancelling color boom
 - Nichrome steel iris, dowser, shutters
 - Castered stand with leveling jack
- Recommended lamp: HMI 575W/SE
Designed for throws up to 150'

1212 MIDGET™ II

- Dichroic Glass Reflector
 - Adjustable pan & tilt brakes
 - 6 frame color boomerang
 - Heavy duty iris, Gobo slot, Fading shutter
 - Telescopic stand w/locking casters
- Recommended lamp: FLK 575, Phillips 6981P 750W.
Designed for throws from 80' to 150'

1266 SUPERARC 400™

- One-handle zoom spot size control
 - Seven-frame color boom
 - Nichrome steel iris, dowser, shutters
 - Telescopic stand
- Recommended lamp: HTI 400/24 Metal Halide.
Designed for throws up to 150'

1267 SUPERARC 400™ LONG THROW

- Same features as Model 1266
- Recommended Lamp: HTI 400/24 Metal Halide.
Designed for throws up to 300'

PART #	DESCRIPTION	PRICE
76-71238	Super Clubspot 1238 (Lamp not included)	1,472.00
76-71206	Midget 1206 (Lamp not included)	1,800.00
76-71209	Midget HP 1209 (Lamp not included)	6,150.00
76-71212	Midget II 1212 (Lamp not included)	1,223.00
76-71266	SuperArc 400 Standard Throw 1266 (Lamp not included)	7,395.00*
76-71267	SuperArc 400 Long Throw 1267 (Lamp not included)	8,295.00*

*Price to be used for budgeting only. Please call 1-800-889-4081 for competitive pricing.

By Strong
www.strongint.com



Super Trouper



Xenon Gladiator IV

XENON SERIES

- “Cold” Metal Reflector, 5600° K
- Six-Color, Self Canceling Boomerang
- Single Handle Zoom
- Horizontal Masking Control
- Dimming Control
- Nichrome Steel Iris
- Hour Meter and DC Ammeter
- Throw Distance per Model Number:
83060 (100'), 83070 (480'), 47061 (550'), 47070 (550')

PART #	DESCRIPTION	PRICE
76-72835	Xenon Super Trouper-ST (Short Throw) 1.6kW 230V 83060 (Lamp not included)	POA
76-72836	Xenon Super Trouper-LT (Long Throw) 2.0kW 230V 83070 (Lamp not included)	POA
76-72476	Xenon Gladiator III 3.0kW 230V 47061 (Lamp not included)	POA
76-72477	Xenon Gladiator IV 2.5kW Followspot 230V 47070	POA

*Price to be used for budgeting only. Please call 1-800-889-4081 for competitive pricing.

By Strong

www.strongint.com



250 HR



575



1200

CANTO 250HR SYSTEM

- Utilizes 250HR Ceramic Lamp (included)
- Ceramic 250 watt lamp provides 3200° K color temperature, 4000 hours lamp life, and hot restrike
- Fan-free cooling system is ultra quiet for TV studios and small theatres
- Built-in, flicker-free electronic ballast
- System includes five color boomerang and adjustable tripod
- Designed for throws from 30' – 100'

CANTO 575 SYSTEM

- Optical quality glass filter
- Double condenser optical system with variable zoom
- Tool free lamp replacement
- Manual dimming control
- Nichrome Steel Iris
- Spot size and edge focus controls
- External electronic ballast (included)
- System includes five color boomerang and adjustable tripod
- Uses 575 watt metal halide lamp: MSR575/2 (not included)
- Designed for throws from 30' – 100'

CANTO 700 SYSTEM

- Same as 575 except
- Uses 700 watt metal halide lamp: MSR700/2 (not included)
- Designed for throws from 30' – 115'

CANTO 1200 SYSTEM

- Same as 700 except
- Uses 1200 watt metal halide lamp: MSR1200/2 (not included)
- Designed for throws from 30' – 130'

PART #	DESCRIPTION	PRICE
76-72400	Canto 250 Followspot System	3,411.00*
76-72402	Canto 575 Followspot System	3,872.00*
76-72404	Canto 700 Followspot System	4,611.00*
76-72406	Canto 1200 Followspot System	5,257.00*

**Price to be used for budgeting only. Please call 1-800-889-4081 for competitive pricing.*

By robert juliat



Buxie



Topaze



Super Korrigan

BUXIE

- Hot restrike electronic P.S.U.
- 90 to 130 V. 50/60Hz. (With Manual Dimmer. Ref: 1124CD North American Standard.)
- Throw Distance: 15-25 m. (49'-82').
- Uses MSD 575 HR lamp.

TOPAZ

- Cold strike magnetic P.S.U.
- 100/110/120V. 60Hz. (With Manual Dimmer. Ref: 1119 CCS "Topaze" 7/14, 5°)
- Throw Distance: 15-40 m. (49'-131').
- Uses MSD 1200 W lamp.

SUPER KORRIGAN

- Hot restrike magnetic P.S.U.
- 110/110/120V. 60Hz. (With Manual Dimmer. Ref: 1149C "Super Korrigan" 7/14, 5°) (With DMX controlled Dimmer. Ref: 1149CB "Super Korrigan" 7/14, 5°)
- Throw Distance: 20-40m. (65'-131').
- Uses HMI 1200W/GS lamp.

PART #	DESCRIPTION	PRICE
76-72960	Buxie Followspot	4,782.00*
76-72955	Topaze Followspot	7,941.00*
76-72950	Super Korrigan Followspot	10,887.00*

**Price to be used for budgeting only. Please call 1-800-889-4081 for competitive pricing.*